

Safety Data Sheet
according to WHS Regulations

Date of issue: 30.01.2026

Version number 8

Revision: 04.09.2025

1 Identification

- **Other means of identification**
- **Trade name:** FloorPro Wipe Care Extra RM 780
- **Relevant identified uses of the substance or mixture and uses advised against**
Restricted to professional users.
- **Application of the substance / the mixture** Detergent
- **Uses advised against** –

- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

Alfred Kärcher SE & Co. KG
Alfred-Kärcher-Str. 28-40
D - 71364 Winnenden
Tel.: +49-7195-14-0

Kärcher Pty. Ltd.
385 Ferntree Gully Rd
Mount Waverley, Victoria 3149
Victoria
Ph.: +61-3-9765-2300

Internet: www.karcher.com

- **Distributor:**
Kärcher Pty. Ltd.
385 Ferntree Gully Rd
Mount Waverley, Victoria 3149
Victoria
Ph.: +61-3-9765-2300
www.karcher.com.au
- **Email competent person:** productsafety.management@de.karcher.com

- **Further information obtainable from:**

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

- **Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

2 Hazard(s) Identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonised System (GHS).

(Contd. on page 2)

AU

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 8

Revision: 04.09.2025

Trade name: FloorPro Wipe Care Extra RM 780

(Contd. of page 1)

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

Dangerous components:

64-17-5	ethanol ⚠ Flammable liquids – Category 2, H225; ⚠ Eye damage/irritation – Category 2A, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	1-5%
67-63-0	propan-2-ol ⚠ Flammable liquids – Category 2, H225; ⚠ Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H336	0.1-1%
111905-53-4	Alcohols, C13-15 branched and linear, butoxylated and ethoxylated ⚠ Acute toxicity - oral – Category 4, H302; Eye damage/irritation – Category 2A, H319	≥0.25-<1%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 8

Revision: 04.09.2025

Trade name: FloorPro Wipe Care Extra RM 780

(Contd. of page 2)

- **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Keep away from food, beverages and feed.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WES Long-term value: 1880 mg/m³, 1000 ppm

67-63-0 propan-2-ol

WES Short-term value: 1230 mg/m³, 500 ppm
Long-term value: 983 mg/m³, 400 ppm

· DNELs

67-63-0 propan-2-ol

Oral DNEL 26 mg/kg×d (consumer)

(Contd. on page 4)

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 8

Revision: 04.09.2025

Trade name: FloorPro Wipe Care Extra RM 780

(Contd. of page 3)

Dermal	DNEL	888 mg/kg×d (employee) 319 mg/kg×d (consumer)
Inhalative	DNEL	500 mg/m3 (employee) 89 mg/m3 (consumer)

· PNECs

67-63-0 propan-2-ol

PNEC	140.9 mg/l (freshwater) 140.9 mg/l (marine water) 140.9 mg/l (STP) 2251 mg/l (STP)
PNEC sediment	552 mg/kg (freshwater) 552 mg/kg (marine water)
PNEC soil	28 mg/kg (soil)

· Personal protective equipment

· **General protective and hygienic measures** Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not necessary if room is well-ventilated.

· **Protection of hands:** Not required

· **Material of gloves** Not required

· **Penetration time of glove material** Not required

· **Eye protection:** Not required

9 Physical and Chemical Properties

· General Information

· Appearance:

- **Form:** Fluid
- **Colour:** Colourless
- **Odour:** fresh
- **Odour threshold:** Not determined
- **pH-value at 20 °C:** 9
- **pH-value 1 %:** 7-9

· Change in condition

- **Melting point/freezing point:** 0 °C
- **Initial boiling point and boiling range:** undetermined
- **Flash point:** 60 °C (Closed Cup)
Does not support combustion (No. 32.5.2 UN MTC, Method L.2).

· Flammability (solid, gaseous)

Not applicable

· **Auto-ignition temperature:** not applicable

· **Decomposition temperature:** Not determined

· **Ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

(Contd. on page 5)

Safety Data Sheet
according to WHS Regulations

Date of issue: 30.01.2026

Version number 8

Revision: 04.09.2025

Trade name: FloorPro Wipe Care Extra RM 780

(Contd. of page 4)

· Explosion limits:	
· Lower:	Not determined
· Upper:	Not determined
· Vapour pressure:	Not determined
· Density at 20 °C:	1 g/cm³
· Relative density	Not determined
· Vapour density	Not determined
· Evaporation rate	Not determined
· Solubility in / Miscibility with	
· Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined
· Viscosity:	
· dynamic at 20 °C:	3 mPas
· kinematic:	Not determined
· Other information	No further relevant information available.
· Additional information	
· Particle characteristics	Not applicable
· Physical state	Liquid

10 Stability and Reactivity

- **Reactivity** corresponds to 10.3
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological Information

· Information on toxicological effects
· Acute toxicity Based on available data, the classification criteria are not met.
· LD/LC50 values relevant for classification:
64-17-5 ethanol
Oral LD50 >10000 mg/kg (Rat)
67-63-0 propan-2-ol
Oral LD50 5840 mg/kg (Rat) (OECD 401)
Dermal LD50 13900 mg/kg (Rabbit) (OECD 402)

(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 8

Revision: 04.09.2025

Trade name: FloorPro Wipe Care Extra RM 780

(Contd. of page 5)

3811-73-2 sodium pyrithione

Oral	LD50	500 mg/kg (ATE)
Dermal	LD50	790 mg/kg (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

· Aquatic toxicity:

67-63-0 propan-2-ol

LC50/96 h	9640 mg/l (Pimephales promelas)
EC50/48 h	13299 mg/l (Daphnia magna)
EC50/72 h	>1000 mg/l (Desmodesmus subspicatus)
EC10/18 h	>1000 mg/l (Pseudomonas putida) (DIN 38412)

3811-73-2 sodium pyrithione

LC50/96 h	0.00767 mg/l (Danio rerio) (OECD 203)
EC50/48 h	0.022 mg/l (Daphnia magna) (OECD 202)
EC50/72 h	0.46 mg/l (F29) (OECD 201)
NOEC	0.08 mg/l // 72 h (F29) (OECD 201)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **COD-value:** 181.000 mg/l

· General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Date of issue: 30.01.2026

Version number 8

Revision: 04.09.2025

Trade name: FloorPro Wipe Care Extra RM 780

(Contd. of page 6)

authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **Other adverse effects** No further relevant information available.

* 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

14 Transport information

· UN-Number	
· ADG, IMDG, IATA	Void
· UN proper shipping name	
· ADG, IMDG, IATA	Void
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· ADG, IMDG, IATA	Void
· Environmental hazards:	Not applicable
· Special precautions for user	Not applicable
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable

(Contd. on page 8)

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 8

Revision: 04.09.2025

Trade name: FloorPro Wipe Care Extra RM 780

(Contd. of page 7)

UN "Model Regulation":

Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Australian Inventory of Industrial Chemicals

7732-18-5	water
64-17-5	ethanol
67-63-0	propan-2-ol
111905-53-4	Alcohols, C13-15 branched and linear, butoxylated and ethoxylated
1310-73-2	sodium hydroxide
18479-58-8	Dihydromyrcenol
3811-73-2	sodium pyrrithione
8000-41-7	Terpineol
2634-33-5	1,2-benzisothiazol-3(2H)-one
76-22-2	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one
464-45-9	I-Borneol
470-82-6	eucalyptol
68039-49-6	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde
68901-15-5	allyl (cyclohexyloxy)acetate
68912-13-0	3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H-indenyl propionate (mixture of isomers)
91-64-5	Coumarin
8022-15-9	Lavandin grosso
97-53-0	Eugenol
141-13-9	2,6,10-Trimethyl-9-undecenal
469-61-4	alpha-Cedrene
546-28-1	Cedrene, beta-
562-74-3	4-Carvomenthenol
14073-97-3	I-Menthone
127-51-5	alpha-iso-Methylionone
78-70-6	Linalool
115-95-7	linalyl acetate
5392-40-5	Citral
586-62-9	terpinolene
8014-09-3	Patchouli oil
1310-58-3	potassium hydroxide

Standard for the Uniform Scheduling of Medicines and Poisons

1310-73-2	sodium hydroxide	S5, S6, S10
76-22-2	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	S5, S6

(Contd. on page 9)

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 8

Revision: 04.09.2025

Trade name: FloorPro Wipe Care Extra RM 780

(Contd. of page 8)

470-82-6	eucalyptol	S6
68901-15-5	allyl (cyclohexyloxy)acetate	S6
91-64-5	Coumarin	S4
97-53-0	Eugenol	S5, S6
5392-40-5	Citral	S5
1310-58-3	potassium hydroxide	S5, S6, S10
106-24-1	geraniol	S6

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· National regulations

· **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
A product information sheet can be provided if requested.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flammable liquids – Category 2: Flammable liquids – Category 2

Acute toxicity - oral – Category 4: Acute toxicity – Category 4

Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.

· 0-011-604-0 RM 780/5 2-858