

Safety Data Sheet
according to WHS Regulations

Date of issue: 24.04.2026

Version number 7

Revision: 12.03.2026

1 Identification

- **Other means of identification**
- **Trade name:** CarpetPro Cleaner, quick-drying RM 767 OA
- **Relevant identified uses of the substance or mixture and uses advised against**
Restricted to professional users.
- **Application of the substance / the mixture** Spray extraction cleaner
- **Uses advised against** –

- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

Alfred Kärcher SE & Co. KG
Alfred-Kärcher-Str. 28-40
D - 71364 Winnenden
Tel.: +49-7195-14-0

Kärcher Pty. Ltd.
385 Ferntree Gully Rd
Mount Waverley, Victoria 3149
Victoria
Ph.: +61-3-9765-2300

Internet: www.karcher.com

- **Distributor:**
Kärcher Pty. Ltd.
385 Ferntree Gully Rd
Mount Waverley, Victoria 3149
Victoria
Ph.: +61-3-9765-2300
www.karcher.com.au
- **Email competent person:** productsafety.management@de.kaercher.com

- **Further information obtainable from:**

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

- **Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

2 Hazard(s) Identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonised System (GHS).

(Contd. on page 2)

AU

Safety Data Sheet according to WHS Regulations

Date of issue: 24.04.2026

Version number 7

Revision: 12.03.2026

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 1)

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Cleaning agent

Dangerous components:

57-55-6	Propylene glycol	≥1-≤5%
67-63-0	propan-2-ol	1-5%
 Flammable liquids – Category 2, H225;  Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H336		

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.
- **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Date of issue: 24.04.2026

Version number 7

Revision: 12.03.2026

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 2)

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required
- **Environmental precautions:**
 - Dilute with plenty of water.
 - Do not allow to enter sewers/ surface or ground water.
 - Do not allow to penetrate the ground/soil.
- **Methods and material for containment and cleaning up:**
 - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
 - Ensure adequate ventilation.
- **Reference to other sections**
 - See Section 7 for information on safe handling
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

7 Handling and Storage

- **Handling**
- **Precautions for safe handling**
 - Ensure good ventilation/exhaustion at the workplace.
 - Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Keep away from food, beverages and feed.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WES Long-term value: 474* 10** mg/m³, 150* ppm
*vapour&particulates;**particulates only

67-63-0 propan-2-ol

WES Short-term value: 1230 mg/m³, 500 ppm
Long-term value: 983 mg/m³, 400 ppm

(Contd. on page 4)

Safety Data Sheet according to WHS Regulations

Date of issue: 24.04.2026

Version number 7

Revision: 12.03.2026

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 3)

· DNELs

57-55-6 Propylene glycol

Oral	DNEL	85 mg/kg×d (consumer)
Dermal	DNEL	213 mg/kg×d (consumer)
Inhalative	DNEL	168 mg/m3 (employee) 50 mg/m3 (consumer)

67-63-0 propan-2-ol

Oral	DNEL	26 mg/kg×d (consumer)
Dermal	DNEL	888 mg/kg×d (employee) 319 mg/kg×d (consumer)
Inhalative	DNEL	500 mg/m3 (employee) 89 mg/m3 (consumer)

68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))

Dermal	DNEL	5.7 mg/kg×d (employee)
Inhalative	DNEL	3.96 mg/m3 (employee) 1.64 mg/m3 (consumer)
Irritation of skin	DNEL	3.4 mg/cm2 (consumer)

· PNECs

57-55-6 Propylene glycol

PNEC	26 mg/l (marine water) 2000 mg/l (STP)
------	---

67-63-0 propan-2-ol

PNEC	140.9 mg/l (freshwater) 140.9 mg/l (marine water) 140.9 mg/l (STP) 2251 mg/l (STP)
PNEC sediment	552 mg/kg (freshwater) 552 mg/kg (marine water)
PNEC soil	28 mg/kg (soil)

68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))

PNEC	0.001 mg/l (freshwater) 0.001 mg/l (marine water) 0.4 mg/l (STP)
PNEC sediment	12.27 mg/kg (freshwater) 13.09 mg/kg (marine water)
PNEC soil	7 mg/kg (soil)

· Personal protective equipment

· **General protective and hygienic measures** Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not necessary if room is well-ventilated.

· **Protection of hands:** Not required

· **Material of gloves** Not required

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Date of issue: 24.04.2026

Version number 7

Revision: 12.03.2026

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 4)

- **Penetration time of glove material** Not required
- **Eye protection:** Not required

9 Physical and Chemical Properties

- **General Information**
- **Appearance:**
- **Form:** Fluid
- **Colour:** Light yellow
- **Odour:** fresh
- **Odour threshold:** Not determined
- **pH-value at 20 °C:** 6-8
- **pH-value 1 %:** 7-9
- **Change in condition**
- **Melting point/freezing point:** 0 °C
- **Initial boiling point and boiling range:** undetermined
- **Flash point:** Not applicable
- **Flammability (solid, gaseous)** Not applicable
- **Auto-ignition temperature:** not applicable
- **Decomposition temperature:** Not determined
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not determined
- **Upper:** Not determined
- **Vapour pressure:** Not determined
- **Density at 20 °C:** 1.018 g/cm³
- **Relative density** Not determined
- **Vapour density** Not determined
- **Evaporation rate** Not determined
- **Solubility in / Miscibility with**
- **Water:** Fully miscible
- **Partition coefficient: n-octanol/water:** Not determined
- **Viscosity:**
- **dynamic:** Not determined
- **kinematic:** Not determined
- **Other information** No further relevant information available.
- **Additional information**
- **Particle characteristics** Not applicable
- **Physical state** Liquid

AU

(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Date of issue: 24.04.2026

Version number 7

Revision: 12.03.2026

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 5)

10 Stability and Reactivity

- **Reactivity** corresponds to 10.3
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

57-55-6 Propylene glycol

Oral	LD50	22000 mg/kg (Rat)
------	------	-------------------

67-63-0 propan-2-ol

Oral	LD50	5840 mg/kg (Rat) (OECD 401)
------	------	-----------------------------

Dermal	LD50	13900 mg/kg (Rabbit) (OECD 402)
--------	------	---------------------------------

134737-05-6 Diquarternary polydimethylsiloxane

Oral	LD50	>5000 mg/kg (Rat)
------	------	-------------------

68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))

Oral	LD50	344 mg/kg (Rat)
------	------	-----------------

Dermal	LD50	3340 mg/kg (Rabbit)
--------	------	---------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

AU

(Contd. on page 7)

Safety Data Sheet according to WHS Regulations

Date of issue: 24.04.2026

Version number 7

Revision: 12.03.2026

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 6)

12 Ecological Information

· Toxicity

· Aquatic toxicity:

57-55-6 Propylene glycol

LC50/96 h 40613 mg/l (Oncorhynchus mykiss)

67-63-0 propan-2-ol

LC50/96 h 9640 mg/l (Pimephales promelas)

EC50/48 h 13299 mg/l (Daphnia magna)

EC50/72 h >1000 mg/l (Desmodesmus subspicatus)

EC10/18 h >1000 mg/l (Pseudomonas putida) (DIN 38412)

134737-05-6 Diquarternary polydimethylsiloxane

LC50/96 h 30.8 mg/l (Danio rerio) (OECD 203)

EC50/48 h >200 mg/l (Daphnia magna) (OECD 202)

ErC50/72h 0.49 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

NOEC (dynamic) 0.313 mg/l / (72 h) (Pseudokirchneriella subcapitata) (OECD 201)

68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))

LC50/96 h 0.28 mg/l (Pimephales promelas) (US-EPA)

0.515 mg/l (Lepomis macrochirus)

IC50/72 h 0.03 mg/l (Algae)

EC50/48 h 0.016 mg/l (Daphnia magna)

EC50/30 min 11 mg/l (activated sludge) (OECD 209)

ErC50/96h 0.049 mg/l (Pseudokirchneriella subcapitata)

NOEC 0.032 mg/l (Pimephales promelas)

0.0042 mg/l (Daphnia magna)

0.456 mg/l (Lepomis macrochirus)

· Persistence and degradability No further relevant information available.

· Degree of elimination:

68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))

OECD 301D 63 % (28 d)

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(Contd. on page 8)

Safety Data Sheet according to WHS Regulations

Date of issue: 24.04.2026

Version number 7

Revision: 12.03.2026

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 7)

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

14 Transport information

· **UN-Number**

· **ADG, IMDG, IATA** Void

· **UN proper shipping name**

· **ADG, ADN, IMDG, IATA** Void

· **Transport hazard class(es)**

· **ADG, ADN, IMDG, IATA**

· **Class** Void

· **Packing group**

· **ADG, IMDG, IATA** Void

· **Environmental hazards:**

Not applicable

· **Special precautions for user**

Not applicable

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable

(Contd. on page 9)

Safety Data Sheet according to WHS Regulations

Date of issue: 24.04.2026

Version number 7

Revision: 12.03.2026

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA

(Contd. of page 8)

· **UN "Model Regulation":**

Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Industrial Chemicals**

7732-18-5	water
57-13-6	urea
57-55-6	Propylene glycol
67-63-0	propan-2-ol
134737-05-6	Diquarternary polydimethylsiloxane
68424-85-1	Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))
111-90-0	Diethylene glycol monoethyl ether
76-22-2	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one
556-67-2	octamethylcyclotetrasiloxane
68039-49-6	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde
5989-27-5	(R)-p-mentha-1,8-diene
104-54-1	Cinnamyl alcohol
80-56-8	alpha-Pinene
546-80-5	Thujone
99-86-5	p-mentha-1,3-diene
87-44-5	beta-Caryophyllene
100-52-7	benzaldehyde
586-62-9	terpinolene
8000-41-7	Terpineol

· **Standard for the Uniform Scheduling of Medicines and Poisons**

76-22-2	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	S5, S6
546-80-5	Thujone	S6

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **National regulations**

· **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

Safety Data Sheet
according to WHS Regulations

Date of issue: 24.04.2026

Version number 7

Revision: 12.03.2026

Trade name: CarpetPro Cleaner, quick-drying RM 767 OA*(Contd. of page 9)*

A product information sheet can be provided if requested.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flammable liquids – Category 2: Flammable liquids – Category 2

Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.

· 0·011-960·0 RM 767/6 2·923