

Safety Data Sheet
according to WHS Regulations

Date of issue: 30.01.2026

Version number 7

Revision: 17.11.2025

1 Identification

- **Other means of identification**
- **Trade name:** CarpetPro Cleaner iCapsol, Tablet RM 760
- **Relevant identified uses of the substance or mixture and uses advised against**
Restricted to professional users.
- **Application of the substance / the mixture** Spray extraction cleaner
- **Uses advised against** –

- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

Alfred Kärcher SE & Co. KG
Alfred-Kärcher-Str. 28-40
D - 71364 Winnenden
Tel.: +49-7195-14-0

Kärcher Pty. Ltd.
385 Ferntree Gully Rd
Mount Waverley, Victoria 3149
Victoria
Ph.: +61-3-9765-2300

Internet: www.karcher.com

- **Distributor:**
Kärcher Pty. Ltd.
385 Ferntree Gully Rd
Mount Waverley, Victoria 3149
Victoria
Ph.: +61-3-9765-2300
www.karcher.com.au
- **Email competent person:** productsafety.management@de.kaercher.com

- **Further information obtainable from:**

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

- **Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

2 Hazard(s) Identification

- **Classification of the substance or mixture**

Skin corrosion/irritation – Category 2
Eye damage/irritation – Category 2A

H315 Causes skin irritation.
H319 Causes serious eye irritation.

(Contd. on page 2)

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 7

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 1)

Specific target organ toxicity (single exposure) – Category 3 H335 May cause respiratory irritation.

Label elements

· **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms

Exclamation mark



GHS07

· **Signal word** Warning

Hazard-determining components of labelling:

sodium carbonate (30-50 %)

citric acid (30-50 %)

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection / face protection.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical characterisation: Mixtures

· **Description:** Cleaning agent

Dangerous components:

497-19-8	sodium carbonate ⚠ Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335	30-50%
77-92-9	citric acid ⚠ Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335	30-50%
6153-56-6	oxalic acid dihydrate ⚠ Eye damage/irritation – Category 1, H318; ⚠ Acute toxicity - oral – Category 4, H302; Acute toxicity - dermal – Category 4, H312	≥1-<3%
68439-46-3	C9-11 alcohol ethoxylate ⚠ Eye damage/irritation – Category 2A, H319	1-5%

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 7

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 2)

9004-34-6	Cellulose	1-5%
151-21-3	sodium dodecyl sulphate	0.1-1%
 Acute toxicity - dermal – Category 3, H311;  Eye damage/irritation – Category 1, H318;  Acute toxicity - oral – Category 4, H302; Skin corrosion/irritation – Category 2, H315; Specific target organ toxicity (single exposure) – Category 3, H335 Specific concentration limits: Eye damage/irritation – Category 1; H318: C ≥ 20 % Eye Irrit. 2; H319: 10 % ≤ C < 20 %		

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.
- **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required
- **Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling

(Contd. on page 4)

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 7

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. of page 3)

7 Handling and Storage

- **Handling**
- **Precautions for safe handling**
Prevent formation of dust.
Avoid contact with eyes and skin.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Protect from humidity. Store dry and locked up.
- **Information about storage in one common storage facility:** Keep away from food, beverages and feed.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.

- **Ingredients with limit values that require monitoring at the workplace:**

9004-34-6 Cellulose

WES	Long-term value: 10 mg/m ³ inhalable dust
-----	---

- **DNELs**

497-19-8 sodium carbonate

Inhalative	DNEL	10 mg/m ³ (employee)
------------	------	---------------------------------

- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Protection of hands:** Not required
- **Material of gloves** Not required
- **Penetration time of glove material** Not required

(Contd. on page 5)

AU

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 7

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 4)

· Eye protection:



Tightly sealed goggles (EN 166)

9 Physical and Chemical Properties

· General Information

· Appearance:

· Form:	Tablets
· Colour:	Colourless
· Odour:	green tea
· Odour threshold:	Not determined
· pH-value:	Not determined
· pH-value 10 %:	8-9
· Change in condition	
· Melting point/freezing point:	undetermined
· Initial boiling point and boiling range:	undetermined
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not determined
· Auto-ignition temperature:	not applicable
· Decomposition temperature:	Not determined
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined
· Upper:	Not determined
· Vapour pressure:	Not applicable
· Density:	
· Bulk density:	890 kg/m ³
· Relative density	Not determined
· Vapour density	Not applicable
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
· Water:	Soluble
· Partition coefficient: n-octanol/water:	Not determined
· Viscosity:	
· dynamic:	Not applicable
· kinematic:	Not applicable

· Other information No further relevant information available.

· Additional information

· Particle characteristics Not determined

(Contd. on page 6)

Safety Data Sheet
according to WHS Regulations

Date of issue: 30.01.2026 Version number 7 Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 5)

Physical state	Solid.
----------------	--------

10 Stability and Reactivity

- Reactivity corresponds to 10.3
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological Information

- Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
497-19-8 sodium carbonate		
Oral	LD50	2800 mg/kg (Rat)
Dermal	LD50	>2000 mg/kg (rabbit)
6153-56-6 oxalic acid dihydrate		
Dermal	LD50	20000 mg/kg (Rabbit)
68439-46-3 C9-11 alcohol ethoxylate		
Oral	LD50	>5000 mg/kg (Rat)

- Primary irritant effect:
- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

AU
(Contd. on page 7)

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 7

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 6)

12 Ecological Information

· Toxicity

· Aquatic toxicity:

497-19-8 sodium carbonate

EC50/48 h 200-227 mg/l (Ceriodaphnia dubia)

EC50/96 h 300 mg/l (Lepomis macrochirus)

77-92-9 citric acid

LC50/48 h 440 mg/l (Leuciscus idus) (OECD Test Guideline 203)

LC50/24 h 1.535 mg/l (Daphnia magna) (static test)

6153-56-6 oxalic acid dihydrate

LC50/48 h 160 mg/l (Leuciscus idus)

EC50/48 h 162.2 mg/l (Daphnia magna)

68439-46-3 C9-11 alcohol ethoxylate

LC50/96 h 1-10 mg/l (Oncorhynchus mykiss)

EC50/48 h 1-10 mg/l (Daphnia magna)

EC50/72 h 1-10 mg/l (Algae)

· **Persistence and degradability** No further relevant information available.

· **Behaviour in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Directive on liquid waste.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

(Contd. on page 8)

Safety Data Sheet
according to WHS Regulations

Date of issue: 30.01.2026

Version number 7

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 7)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.
- **Uncleaned packaging:**
- **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

14 Transport information

· UN-Number	
· ADG, IMDG, IATA	Void
· UN proper shipping name	
· ADG, IMDG, IATA	Void
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· ADG, IMDG, IATA	Void
· Environmental hazards:	Not applicable
· Special precautions for user	Not applicable
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable
· UN "Model Regulation":	Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Australian Inventory of Industrial Chemicals	
497-19-8	sodium carbonate
77-92-9	citric acid

(Contd. on page 9)

Safety Data Sheet according to WHS Regulations

Date of issue: 30.01.2026

Version number 7

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 8)

164462-16-2	methylglycine diacetic acid, trisodium salt, solution
144-55-8	sodium hydrogencarbonate
6153-56-6	oxalic acid dihydrate
9004-34-6	Cellulose
151-21-3	sodium dodecyl sulphate
	Polysiloxane
25265-71-8	Dipropylene glycol (isomer unspecified)
60-12-8	Phenethyl alcohol
78-69-3	tetrahydrolinalool
115-95-7	linalyl acetate
151-05-3	1,1-Dimethyl-2-phenylethyl acetate
98-55-5	alpha-Terpineol
6658-48-6	p-Isobutyl-alpha-methyl hydrocinnamaldehyde
10094-34-5	alpha,alpha-Dimethylphenethyl butyrate
25634-93-9	2-methyl-5-phenylpentanol
55066-48-3	3-Methyl-5-phenylpentanol
79-77-6	(E)-.beta.-Ionone
81782-77-6	4-Methyl-3-decen-5-ol
68039-49-6	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde
120-14-9	veratraldehyde
120-51-4	Benzyl benzoate
23726-92-3	(Z)-beta-1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-2-buten-1-one
78-70-6	Linalool
100-51-6	benzyl alcohol
5989-27-5	(R)-p-mentha-1,8-diene
106-24-1	geraniol

· Standard for the Uniform Scheduling of Medicines and Poisons

6153-56-6	oxalic acid dihydrate	S6
106-24-1	geraniol	S6

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· National regulations

· **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

Safety Data Sheet
according to WHS Regulations

Date of issue: 30.01.2026

Version number 7

Revision: 17.11.2025

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760*(Contd. of page 9)*

A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

· Contact:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute toxicity - oral – Category 4: Acute toxicity – Category 4
Acute toxicity - dermal – Category 3: Acute toxicity – Category 3
Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2
Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1
Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A
Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.

· 0-011-335-0 RM 760 T/6 2-881