

Safety Data Sheet
according to WHS Regulations

Date of issue: 17.04.2026

Version number 5

Revision: 16.12.2025

1 Identification

- **Other means of identification**
- **Trade name:** VehiclePro Klear!Foam RM 892
- **Relevant identified uses of the substance or mixture and uses advised against**
Restricted to professional users.
- **Application of the substance / the mixture** Car shampoo
- **Uses advised against** –
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

Alfred Kärcher SE & Co. KG
Alfred-Kärcher-Str. 28-40
D - 71364 Winnenden
Tel.: +49-7195-14-0

Kärcher Pty. Ltd.
385 Ferntree Gully Rd
Mount Waverley, Victoria 3149
Victoria
Ph.: +61-3-9765-2300

Internet: www.karcher.com
- **Distributor:**
Kärcher Pty. Ltd.
385 Ferntree Gully Rd
Mount Waverley, Victoria 3149
Victoria
Ph.: +61-3-9765-2300
www.karcher.com.au
- **Email competent person:** productsafety.management@de.karcher.com
- **Further information obtainable from:**

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com
- **Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1-703-527-3887 (collect calls accepted)

2 Hazard(s) Identification

- **Classification of the substance or mixture**
Eye damage/irritation – Category 1 H318 Causes serious eye damage.

(Contd. on page 2)

Safety Data Sheet according to WHS Regulations

Date of issue: 17.04.2026

Version number 5

Revision: 16.12.2025

Trade name: VehiclePro Klear!Foam RM 892

(Contd. of page 1)

Label elements

GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms

Corrosion



GHS05

Signal word Danger

Hazard-determining components of labelling:

isotridecanoethoxylate + 8 EO (≥ 3 - ≤ 5 %)

fatty alcohol ethoxylate (≥ 1 - < 3 %)

alkyl polyglucoside (≥ 1 - < 3 %)

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

3 Composition and Information on Ingredients

Chemical characterisation: Mixtures

Description: Cleaning agent

Dangerous components:

68891-38-3	sodium lauryl ether sulfate 	≥ 2.5 - < 5 %
69011-36-5	isotridecanoethoxylate + 8 EO 	≥ 3 - ≤ 5 %
78330-20-8	fatty alcohol ethoxylate 	≥ 1 - < 3 %
68515-73-1	alkyl polyglucoside 	≥ 1 - < 3 %

Additional information For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

(Contd. on page 3)

Safety Data Sheet
according to WHS Regulations

Date of issue: 17.04.2026

Version number 5

Revision: 16.12.2025

Trade name: VehiclePro Klear!Foam RM 892*(Contd. of page 2)*

- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.
- **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Not required
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid contact with eyes and skin.
- **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)

Safety Data Sheet according to WHS Regulations

Date of issue: 17.04.2026

Version number 5

Revision: 16.12.2025

Trade name: VehiclePro Klear!Foam RM 892

(Contd. of page 3)

- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Keep away from food, beverages and feed.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· PNECs

68891-38-3 sodium lauryl ether sulfate

PNEC	10000 mg/l (STP) (Assessment factor: 1)
PNEC sediment	0.917 mg/kg (freshwater) (sediment dw)
	0.092 mg/kg (marine water) (sediment dw)
PNEC soil	7.5 mg/kg (Assessment factor: 100)
PNEC aqua	0.24 mg/l (freshwater) (Assessment factor: 5)
	0.024 mg/l (marine water) (Assessment factor: 50)

- **Personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Protection of hands:** Not required
- **Material of gloves** Not required
- **Penetration time of glove material** Not required
- **Eye protection:**



Tightly sealed goggles (EN 166)

9 Physical and Chemical Properties

- **General Information**
- **Appearance:**
- **Form:**
- **Colour:**

Fluid
Green

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Date of issue: 17.04.2026

Version number 5

Revision: 16.12.2025

Trade name: VehiclePro Klear!Foam RM 892

(Contd. of page 4)

· Odour:	Pine
· Odour threshold:	Not determined
· pH-value at 20 °C:	9.5
· pH-value 1 %:	7-9
· Change in condition	
· Melting point/freezing point:	-1 °C
· Initial boiling point and boiling range:	undetermined
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not applicable
· Auto-ignition temperature:	not applicable
· Decomposition temperature:	Not determined
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined
· Upper:	Not determined
· Vapour pressure:	Not determined
· Density at 20 °C:	1.035 g/cm ³
· Relative density	Not determined
· Vapour density	Not determined
· Evaporation rate	Not determined
· Solubility in / Miscibility with	
· Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined
· Viscosity:	
· dynamic:	Not determined
· kinematic:	Not determined
· Other information	No further relevant information available.
· Additional information	
· Particle characteristics	Not applicable
· Physical state	Liquid

10 Stability and Reactivity

- **Reactivity** corresponds to 10.3
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 6)

Safety Data Sheet according to WHS Regulations

Date of issue: 17.04.2026

Version number 5

Revision: 16.12.2025

Trade name: **VehiclePro Klear!Foam RM 892**

(Contd. of page 5)

· **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological Information

· **Information on toxicological effects**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

69011-36-5 isotridecanoethoxylate + 8 EO

Oral	ATE	500 mg/kg (Rat)
------	-----	-----------------

78330-20-8 fatty alcohol ethoxylate

Oral	ATE	500 mg/kg (Rat)
------	-----	-----------------

· **Primary irritant effect:**

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Causes serious eye damage.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological Information

· **Toxicity**

· **Aquatic toxicity:**

68891-38-3 sodium lauryl ether sulfate

LC50/96 h	7.1 mg/l (Brachydanio rerio) (OECD 203)
EC50/48 h	7.4 mg/l (Daphnia magna) (OECD 202)
EC50/72 h	27.7 mg/l (Algae) (OECD 201)
EC50 (static)	>10000 mg/l (Pseudomonas putida)
NOErC	0.95 mg/l (algae)
NOEC (dynamic)	0.27 mg/l /(21 d) (Daphnia magna) (OECD 211)
	0.14 mg/l /(28 d) (Oncorhynchus mykiss) (OECD 204)

69011-36-5 isotridecanoethoxylate + 8 EO

LC50/96 h	>1-10 mg/l (Leuciscus idus)
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)
EC50/72 h	>1-10 mg/l (Aquatic plants)
NOEC	>1 mg/l /(21 d)

(Contd. on page 7)

Safety Data Sheet according to WHS Regulations

Date of issue: 17.04.2026

Version number 5

Revision: 16.12.2025

Trade name: VehiclePro Klear!Foam RM 892

(Contd. of page 6)

78330-20-8 fatty alcohol ethoxylate

LC50/96 h	>10-100 mg/l (Leuciscus idus)
EC50/48 h	>10-<100 mg/l (Aquatic invertebrates)
EC50/72 h	>10-<100 mg/l (Aquatic plants)

68515-73-1 alkyl polyglucoside

LC50/96 h	100.81 mg/l (Brachydanio rerio)
EC50/72 h	27.22 mg/l (Aquatic plants)
EC10/21 d	1.76 mg/l (Daphnia magna)

· **Persistence and degradability** No further relevant information available.

· Degree of elimination:

68891-38-3 sodium lauryl ether sulfate

OECD 301D	≥77 % (28 d)
-----------	--------------

69011-36-5 isotridecanoethoxylate + 8 EO

OECD 301B	>60 % (28 d)
OECD 301E	≥90 % (28 d)

· Behaviour in environmental systems:

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· Additional ecological information:

· **COD-value:** 301.000 mg/l

· General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liquid waste.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **Other adverse effects** No further relevant information available.

AU

(Contd. on page 8)

Safety Data Sheet according to WHS Regulations

Date of issue: 17.04.2026

Version number 5

Revision: 16.12.2025

Trade name: VehiclePro Klear!Foam RM 892

(Contd. of page 7)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.
- **Uncleaned packaging:**
- **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

14 Transport information

- | | |
|---|----------------|
| · UN-Number | |
| · ADG, IMDG, IATA | Void |
| · UN proper shipping name | |
| · ADG, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADG, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · ADG, IMDG, IATA | Void |
| · Environmental hazards: | Not applicable |
| · Special precautions for user | Not applicable |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Australian Inventory of Industrial Chemicals

7732-18-5	water
164462-16-2	methylglycine diacetic acid, trisodium salt, solution
68515-73-1	alkyl polyglucoside
68-04-2	Sodium citrate
25265-71-8	Dipropylene glycol (isomer unspecified)

(Contd. on page 9)

AU

Safety Data Sheet according to WHS Regulations

Date of issue: 17.04.2026

Version number 5

Revision: 16.12.2025

Trade name: VehiclePro Klear!Foam RM 892

(Contd. of page 8)

18479-58-8	Dihydromyrcenol
112-34-5	2-(2-butoxyethoxy)ethanol
76-22-2	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one
19009-56-4	2-Methyldecanal
7785-53-7	d- α -Terpineol
1310-73-2	sodium hydroxide
5989-27-5	(R)-p-mentha-1,8-diene
110-41-8	2-methylundecanal
112-54-9	Lauric aldehyde
470-82-6	eucalyptol
54464-57-2	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-tetramethyl-2-naphthalenyl)ethanone
58567-11-6	Formaldehyde cyclododecyl ethyl acetal
67634-00-8	allyl (3-methylbutoxy)acetate
68039-49-6	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde
2216-51-5	L-menthol
34902-57-3	Oxacyclohexadecen-2-on
14073-97-3	l-Menthone
56973-85-4	1-(5,5-Dimethyl-1-cyclohexen-1-yl)pent-4-en-1-one
4180-23-8	trans-Anethole
91-64-5	Coumarin
67-56-1	methanol
112-12-9	2-Undecanone
97-53-0	Eugenol
140-67-0	Estragole
97-54-1	isoeugenol

Standard for the Uniform Scheduling of Medicines and Poisons

112-34-5	2-(2-butoxyethoxy)ethanol	S5
76-22-2	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	S5, S6
1310-73-2	sodium hydroxide	S5, S6, S10
470-82-6	eucalyptol	S6
91-64-5	Coumarin	S4
67-56-1	methanol	S5, S6, S10
97-53-0	Eugenol	S5, S6
97-54-1	isoeugenol	S5, S6
94-59-7	safrole	S6, S10
106-24-1	geraniol	S6
5392-40-5	Citral	S5

Australia: Priority Existing Chemicals

None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet
according to WHS Regulations

Date of issue: 17.04.2026

Version number 5

Revision: 16.12.2025

Trade name: VehiclePro Klear!Foam RM 892*(Contd. of page 9)*

- **National regulations**
- **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
A product information sheet can be provided if requested.

· **Relevant phrases**

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

· **Contact:**

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute toxicity - oral – Category 4: Acute toxicity – Category 4
Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2
Eye damage/irritation – Category 1: Serious eye damage/eye irritation – Category 1

· *** Data compared to the previous version altered.**

- 0-011-043-0 RM 892/2 2-899